Renal Anaemia – Information for Patients

What is Renal Anaemia?

Anaemia means there is not enough haemoglobin in the red blood cells to carry oxygen around your body. Blood is very important to your health because it contains the blood cells, nutrients your body needs to stay healthy.

There are many reasons why people develop anaemia;

- Bleeding
- Vitamin deficiency
- Iron deficiency
- Hereditary traits as in sickle cell anaemia.
- Renal anaemia

Renal anaemia only develops in people with kidney problems.

What causes Renal Anaemia?

Your kidneys control how many red blood cells are made in your bone marrow. They do this by monitoring the oxygen levels in your blood. As the oxygen levels fall, the kidneys produce a hormone called erythropoeitin (EPO). This stimulates the bone marrow to make haemoglobin and red blood cells. When your kidneys are not working properly, not enough EPO is released and the level of red blood cells goes down. Because of this, patients with kidney problems often develop renal anaemia.

If you have renal anaemia you may have some of the following symptoms:

- Feeling tired
- Feeling cold
- Loss of appetite
- Having trouble concentrating
- Forgetting things
- Loss of interest in sex
- Women may find their periods stop

It is important to let the Doctor or Nurse know if you have any of these symptoms when you attend the clinic.

How can Renal Anaemia be treated?

Renal Anaemia is treated with a drug called EPO. There are various brands of EPO. This is given as an injection however, not all patients need this treatment straight away. The anaemia nurse(s) will monitor your blood results when you attend the out patient clinic, or when your bloods are taken on dialysis.

Is there an alternative treatment?

The only alternative to EPO injections would be a blood transfusion. This would mean a visit to the

Author: Jo Hollingworth Issue date: October 2023 Review date: October 2026

Information for Patients

hospital. This can reduce your chance of having a kidney transplant if you are on the transplant list.

Who will give me the injections?

The anaemia nurse(s) will teach you or your carer how to give the injection.

A container will be given to you so that you can dispose of used needles safely after use. If you are a haemodialysis patient, the nurses will administer the injection to you through your dialysis lines.

How long will I have to take this drug?

You are likely to need this treatment for as long as you have kidney problems. However, the dose may change depending on how your body responds to the treatment.

Are there any side effects?

Most patients have no side effects from taking EPO injections, but uncommonly or rarely some patients may experience some of the following:

- a rise in blood pressure
- flu like symptoms
- · discomfort or skin irritation around the injection site
- some patients may develop antibodies against EPO

Please inform the anaemia nurse if you experience any problems.

Further information about side effects is available on a data sheet that you will find inside the box of EPO.

How often will I need the injection?

EPO injections are given weekly, fortnightly or monthly. The anaemia nurse will let you know how often you will need to have the injection.

Can I take it the same time as my Insulin?

NO it is better to leave about ½ hour between injections.

When will I need these injections and how do I get them?

Your renal Doctor or the Anaemia Nurse(s) will let you know when you need to start EPO injections. You will meet the Anaemia nurse(s) before you start the EPO injections and you will be given full training and information about the treatment.

How do I get my prescriptions?

The anaemia department will supply your EPO injections;

- With your consent the anaemia nurse(s) will register you with a home care delivery service who will deliver the injections at an agreed time and address of your choice. When delivered the boxes will need to be put immediately into a fridge.
- Haemodialysis patients will have EPO administered intravenously during dialysis and this will be supplied by the dialysis unit.

The anaemia nurse(s) will explain the procedure to you in more detail when and if you require injections as part of your treatment.

How do I know if it's working?

You will need regular monitoring to check your response to the injections. This will involve you having a blood test every 4 weeks for the first 3 months of treatment and then at least every 3

Pl23/2935/06 Leaflet title: Renal Anaemia – Information for Patients

Author: Jo Hollingworth Issue date: October 2023 Review date: October 2026

Information for Patients

months thereafter. A delay in having the blood test will mean a delay in the issuing of your prescriptions. You will need to attend the hospital or arrange the blood test through your GP surgery. The blood test is required in order to see how your red cell count is responding to the EPO. The result of the blood test will be required for further prescriptions to be issued. The anaemia nurse will contact you if your blood test is not up to date.

You will need to keep a check on your blood pressure. This can be undertaken by yourself or a family member at home. If you do not have a blood pressure monitor, please let the nurses know and we can provide you with a list of recommended monitors. You will be provided with information as to how to check your blood pressure at home and when you should contact the renal team if there are concerns about your blood pressure reading. Alternatively, your local pharmacy or GP surgery may offer this service.

The anaemia nurse(s) will let you know by telephone of any changes that are to be made to your prescription. You will be given a co-operation card so that you can keep a record of your blood pressure, red blood cell level and the date of your next blood test. When your prescription starts or the dose changes, we will confirm this in writing to you.

Once your haemoglobin level has reached the target 100 g/l – 120 g/l you will be followed up during your normal clinic visits. If a change to your medication is needed or you require a blood test, the anaemia nurse(s) will contact you by phone, by letter or see you in clinic.

Once you start dialysis your blood levels will be checked every month.

How to contact us:

If you would like further information you can contact the Anaemia Nurse(s) direct on:

Anaemia Nurse Specialist 0121 424 3160

0121 424 1069 **Anaemia Sister**

For further sources of Information:

You can access The National Kidney Federation on the Internet www.kidney.org.uk

If you require this information in another format, such as a different language, large print, braille or audio version please ask a member of staff or email patientexperience@uhb.nhs.uk.

PI23/2935/06 Leaflet title: Renal Anaemia – Information for Patients Page 3 of 3

Author: Jo Hollingworth Issue date: October 2023 Review date: October 2026